

10/29/03

#7  
B/B  
Amdt/B  
NE**AMENDMENTS TO THE CLAIMS**

1. (currently amended) A method for delivering data over a network system, comprising the steps of:

receiving, in a data processing system, a request for a first data page from a first client system;

in response to the request from the first client system, sending a reduced-content page, corresponding to the first data page, from the data processing system to the first client system; and

in response to the request from the first client system, sending the first data page from the data processing system to a second client system used by a user of the first client system, wherein the first client system communicates with the data processing system over a more expensive connection than the second client system communicates with the data processing system.

2. (original) The method of claim 1, further comprising, after the receiving step, the step of creating a reduce-content page corresponding to the first data page.

3. (original) The method of claim 1, wherein the network system is the internet.

4. (original) The method of claim 1, wherein the first data processing system communicates via a wireless connection.

5. (original) The method of claim 1, wherein the reduced content page is a wireless markup language page.

6. (original) The method of claim 1, wherein the first data page is a hypertext markup language page.

7. (original) The method of claim 1, wherein the first data page is sent to the second client

system via an electronic mail message.

8. (original) The method of claim 1, wherein the first data page is sent to the second client system via a push delivery system.

9. (currently amended) A data processing system having at least a processor and an accessible memory, comprising:

means for receiving, in a data processing system, a request for a first data page from a first client system;

means for sending, in response to the request from the first client system, a reduced-content page, corresponding to the first data page from the data processing system, to the first client system; and

means for sending, in response to the request from the first client system, the first data page from the data processing system to a second client system used by a user of the first client system,

wherein the first client system communicates with the data processing system over a more expensive connection than the second client system communicates with the data processing system.

10. (original) The data processing system of claim 9, further comprising means for creating a reduced-content page corresponding to the first data page.

11. (original) The data processing system of claim 9, wherein the network system is the internet.

12. (original) The data processing system of claim 9, wherein the first data processing system communicates via a wireless connection.

13. (original) The data processing system of claim 9, wherein the reduced content page is a wireless markup language page.

14. (original) The data processing system of claim 9, wherein the first data page is a hypertext markup language page.
15. (original) The data processing system of claim 9, wherein the first data page is sent to the second client system via an electronic mail message.
16. (original) The data processing system of claim 9, wherein the first data page is sent to the second client system via a push delivery system.
17. (currently amended) A computer program product having computer-readable code on a computer-readable medium, comprising:
- instructions for receiving, in a data processing system, a request for a first data page from a first client system;
  - instructions for sending, in response to the request from the first client system, a reduced-content page, corresponding to the first data page from the data processing system, to the first client system; and
  - instructions for sending, in response to the request from the first client system, the first data page from the data processing system to a second client system used by a user of the first client system,
- wherein the first client system communicates with the data processing system over a more expensive connection than the second client system communicates with the data processing system.
18. (original) The computer program product of claim 17, further comprising instructions for creating a reduced-content page corresponding to the first data page.
19. (original) The computer program product of claim 17, wherein the network system is the internet.
20. (original) The computer program product of claim 17, wherein the first data processing

system communicates via a wireless connection.

21. (original) The computer program product of claim 17, wherein the reduced content page is a wireless markup language page.

22. (original) The computer program product of claim 17, wherein the first data page is a hypertext markup language page.

23. (original) The computer program product of claim 17, wherein the first data page is sent to the second client system via an electronic mail message.

24. (original) The computer program product of claim 17, wherein the first data page is sent to the second client system via a push delivery system.

25. (currently amended) A method for delivering data over a network system, comprising the steps of:

receiving, in a data processing system, a request for a first data page from a first client system;

in response to the request from the first client system, sending a reduced-content page, corresponding to the first data page from the data processing system, to the first client system; and

selectively sending a selection mark to the first client system;

if a request corresponding to the selection mark is received, then sending the first data page from the data processing system to a second client system used by a user of the first client system,

wherein the first client system communicates with the data processing system over a more expensive connection than the second client system communicates with the data processing system.

26. (original) The method of claim 9, further comprising, after the receiving step, the step of

creating a reduced-content page corresponding to the first data page.

27. (original) The method of claim 9, wherein the network system is the internet.

28. (original) The method of claim 9, wherein first data processing system communicates via a wireless connection.

29. (original) The method of claim 9, wherein the first data page is a hypertext markup language page.

30. (original) The method of claim 9, wherein the reduced-content page is a wireless markup language page.

31. (original) The method of claim 9, wherein the first data page is sent to the second client system via an electronic mail message.

32. (original) The method of claim 9, wherein the first data page is sent to the second client system via a push delivery system.

33. (currently amended) A data processing system having at least a processor and an accessible memory, comprising:

means for receiving in the data processing system, a request for a first data page from a first client system;

means for creating a reduced-content second data page corresponding to the first data page;

means for sending, in response to the request from the first client system, the second data page from the data processing system to the first client system;

means for selectively sending, in response to the request from the first client system, a selection mark to the first client system;

means for sending the first data page from the data processing system to a second client

system used by a user of the first client system, if a request corresponding to the selection mark is received,

wherein the first client system communicates with the data processing system over a more expensive connection than the second client system communicates with the data processing system.

34. (original) The data processing system of claim 17, further comprising means for creating a reduced-content page corresponding to the first data page.
35. (original) The data processing system of claim 17, wherein the network system is the internet.
36. (original) The data processing system of claim 17, wherein the first data processing system communicates via a wireless connection.
37. (original) The data processing system of claim 17, wherein the first data page is a hypertext mark language page.
38. (original) The method of claim 17, wherein the reduced content page is a wireless markup language page.
39. (original) The data processing system of claim 17, wherein the first data page is sent to the second client system via an electronic mail message.
40. (original) The data processing system of claim 17, wherein the first data page is sent to the second client system via a push delivery system.
41. (currently amended) A computer program product having computer-readable code on a computer-readable medium, comprising:  
instructions for receiving, in a data processing system, a request for a first data page from

a first client system;

instructions for creating a reduced-content second data page corresponding to the first data page;

instructions for sending the second data page from the data processing system to the first client system;

instructions for selectively sending a selection mark to the first client system;

instructions for sending the first data page from the data processing system to a second client system used by a user of the first client system, if a request corresponding to the selection mark is received,

wherein the first client system communicates with the data processing system over a more expensive connection than the second client system communicates with the data processing system.

42. (original) The computer program product of claim 25, further comprising instructions for creating a reduced-content page corresponding to the first data page.

43. (original) The computer program product of claim 25, wherein the network system is the internet.

44. (original) The computer program product of claim 25, wherein the first data processing system communicates via a wireless connection.

45. (original) The computer program product of claim 25, wherein the first data page is a hypertext markup language page.

46. (original) The computer program product of claim 25, wherein the reduced content page is a wireless markup language page.

47. (original) The computer program product of claim 25, wherein the first data page is sent to the second client system via an electronic mail message.

48. (original) The computer program product of claim 25, wherein the first data page is sent to the second client system via a push delivery system.

49. (currently amended) A method for network communications, comprising the steps of:  
sending, over a first communications link and from a first data processing system to a second data processing system, a request for a first data page;  
receiving, from the second data processing system over the first communications link, a reduced-content data page corresponding to the first data; and  
selectively requesting the first data page to be sent from the second data processing system to a ~~second~~ third data processing system used by a user of the first data processing system, the second data processing system being connected to the second data processing system over a second communications link and the second communications link being less expensive than the first communications link.

50. (currently amended) A data processing system having at least a processor and an accessible memory, comprising:

means for sending, over a first communications link and from a first data processing system, a request for a first data page;

means for receiving, from a second data processing system over the first communications link, a reduced-content data page corresponding to the first data page; and

means for selectively requesting the first data page to be sent from the second data processing system to a ~~second~~ third data processing system used by a user of the first client system, the second data processing system being connected to the second data processing system over a second communications link and the second communications link being less expensive than the first communications link.

51. (currently amended) A computer program product having computer-readable code on a computer-readable medium, comprising:

instructions for sending, over a first communications link and from a first data processing



system to a second data processing system, a request for a first data page;

instructions for receiving, from a second data processing system over the first communications like, a reduced-content data page corresponding to the first data page; and

instructions for selectively requesting the first data page to be sent from the second data processing system to a ~~second~~ third data processing system used by a user of the first client system, the second data processing system being connected to the second data processing system over a second communications link and the second communications link being less expensive than the first communications link.